-	2	mpls\$1 adj1 source\$1 adj1 rout\$4	USPAT;	2004/05/07 18:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("6538991").PN.	USPAT;	2004/05/09 16:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
-	1216	(cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3	USPAT;	2004/05/09 16:55
İ		protocol\$1)) and (as\$1 or (autonomous\$1 near3 system\$1))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	ļ		IBM_TDB	
_	46	(cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3	USPAT;	2004/05/09 16:56
		protocol\$1)) and (as\$1 or (autonomous\$1 near3 system\$1))	US-PGPUB;	, ,
		and (lsp\$1 or (label\$1 near3 switch\$4))	EPO; JPO;	
			DERWENT;	
	ŀ		IBM_TDB	
-	12	(cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3	USPAT;	2004/05/09 16:57
		protocol\$1)) and ((autonomous\$1 near3 system\$1)) and	US-PGPUB;	, ,
	ļ	(lsp\$1 or (label\$1 near3 switch\$4))	EPO; JPO;	
			DERWENT;	•
			IBM_TDB	
_	26	(cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3	USPAT;	2004/05/09 17:03
		protocol\$1)) and ((autonomous\$1 near3 system\$1))	US-PGPUB;	. ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	12	(cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3	USPAT;	2004/05/09 17:06
		protocol\$1)) and ((autonomous\$1 near3 system\$1)) and	US-PGPUB;	
		mpls\$1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	(cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3	USPAT;	2004/05/09 17:07
		protocol\$1)) and ((autonomous\$1 near3 system\$1)) and	US-PGPUB;	
		label\$4	EPO; JPO;	
	1		DERWENT;	
	Ì		IBM_TDB	

•	61	((install\$4 or establish\$4) near3 ((lsp\$1 or (label\$1 near3	USPAT;	2004/05/07 16:55
		switch\$4 near3 (path\$1 or route\$4))))) and	US-PGPUB;	
		(370/389,229,395.1,351,400,410,230,437,392,248,250,235,4		cls.
		and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or	DERWENT;	
		route\$4))))) and ((mpls\$1 or (multi\$1 near3 protocol\$1	IBM_TDB	
_	68	((das@allibelishesbabiishsitchtee))3)((lsp\$1 or (label\$1 near3	USPAT;	2004/05/07 16:33
		switch\$4 near3 (path\$1 or route\$4))))) and	US-PGPUB;	
		(370/389,229,395.1,351,400,410,230,437,392,248,250,235,4		ric
		and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or	DERWENT;	C13.
			IBM_TDB	
		route\$4)))))		2004/05/07 16:40
-	7	((install\$4 or establish\$4) near3 ((lsp\$1 or (label\$1 near3	USPAT;	2004/05/07 16:48
		switch\$4 near3 (path\$1 or route\$4))))) and	US-PGPUB;	
		(370/389,229,395.1,351,400,410,230,437,392,248,250,235,4		CIS.
		and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or	DERWENT;	
		route\$4))))) and ((cops\$1 or (common\$1 near3 open\$1	IBM_TDB	
-	7	(@asBaploticopriesseablisoproptopcoded3))((lsp\$1 or (label\$1 near3	USPAT;	2004/05/07 16:56
	ļ.	switch\$4 near3 (path\$1 or route\$4))))) and (source\$1 adj1	US-PGPUB;	
		routing)	EPO; JPO;	
		· ·	DERWENT;	
			IBM_TDB	
-	47	mpls\$1 and (source\$1 adj1 routing)	USPAT;	2004/05/07 16:55
	''	,p	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			,	
		//	IBM_TDB	2004/05/07 46 56
-	7	((install\$4 or establish\$4) near10 ((lsp\$1 or (label\$1 near3	USPAT;	2004/05/07 16:56
		switch\$4 near3 (path\$1 or route\$4))))) and (source\$1 adj1	US-PGPUB;	
		routing)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	((install\$4 or establish\$4) same ((lsp\$1 or (label\$1 near3	USPAT;	2004/05/07 16:58
		switch\$4 near3 (path\$1 or route\$4))))) and (source\$1 adj1	US-PGPUB;	
	-	routing)	EPO; JPO;	ı
		•	DERWENT;	
			IBM_TDB	
_	7	((install\$4 or establish\$4) same rsvp\$1) and (source\$1 adj1	USPAT;	2004/05/07 16:58
		routing)	US-PGPUB;	, ,
		, samily	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	((install\$4 or establish\$4) same cops\$1) and (source\$1 adj1	USPAT;	2004/05/07 16:58
			US-PGPUB;	2007/03/07 10.30
		routing)		
			EPO; JPO;	
			DERWENT;	
		(11500050511) DA	IBM_TDB	2004/05/05 45 5:
-	2	("6339595").PN.	USPAT;	2004/05/07 17:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	368	370/389,229,395.1,351,400,410,230,437,392,248,250,235,46	BJ 395 AZT,229.cd	12004/05/07 17:35
		and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1	US-PGPUB;	
		near3 switch\$4)))	EPO; JPO;	
		-···-···1 ·// /	DERWENT;	
			IBM_TDB	
_	170	370/389,229,395.1,351,400,410,230,437,392,248,250,235,46		18004/05/07 18·21
_	1/0			10.21 10.21
		and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1	US-PGPUB;	
		near3 switch\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4	EPO; JPO;	
		near3 (path\$1 or route\$4))))	DERWENT; IBM_TDB	

-	12	lsr\$1 and cops\$1	USPAT;	2004/05/07 14:13
			US-PGPUB;	
i			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	21	lsp\$1 and cops\$1	USPAT;	2004/05/07 14:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	dynamic\$4 near10 partition\$4 near10 mpls\$1	USPAT;	2004/05/07 14:28
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	4	(dynamic\$4 near10 partition\$4) same mpls\$1	USPAT;	2004/05/07 16:16
		(, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1 -	248	rsvp\$1 same mpls\$1	USPAT;	2004/05/07 16:16
]			US-PGPUB;	
1			EPO; JPO;	
i			DERWENT;	
ļ			IBM_TDB	
-	117	(rsvp\$1 same mpls\$1) and lsp\$1	USPAT;	2004/05/07 16:16
		(-) (US-PGPUB;	
ļ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	((rsvp\$1 same mpis\$1) and lsp\$1) and (source\$1 adj1	USPAT;	2004/05/07 16:23
		rout\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	("5079767" "5331637" "5687167" "5946316"	USPAT	2004/05/07 16:17
		"6023730" "6055561" "6205488" "6331983"		
		"6337861" "6339595" "6374303" "6473421"		:
		"6542469" "2002/0176370").PN.		į į
-	4	("5754543" "5768271" "6079020" "6081524").PN.	USPAT	2004/05/07 16:19
i -	3	((install\$4 or establish\$4) near3 ((lsp\$1 or (label\$1 near3	USPAT;	2004/05/07 16:32
		switch\$4 near3 (path\$1 or route\$4))))) same (cops\$1 or	US-PGPUB;	
		(common\$1 near3 open\$1 near3 polic\$4 near3 protocol\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	("5504935" "5537532" "5832197" "5987028"	USPAT	2004/05/07 16:26
		"6144661" "6246669" "6377579" "6385198" [*]		
		"6385454" "6442158").PN.		
-	4	("5991301" "6363319" "6408001" "6466985").PN.	USPAT	2004/05/07 16:29
-	11438	370/389,229,395.1,351,400,410,230,437,392,248,250,235,46		
			US-PGPUB;	' '
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- ·	236	370/389,229,395.1,351,400,410,230,437,392,248,250,235,46		l\$2004/05/07 16:31
		and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or	US-PGPUB;	
		route\$4))))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	45	CR-LDP and RSVP-TE	USPAT; US-PGPUB;	2004/05/07 13:00
		_	EPO; JPO;	
			DERWENT; IBM_TDB]
-	12	((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3	USPAT;	2004/05/11 10:50
		switch\$4))) near3 source\$1 near3 rout\$4	US-PGPUB;	
			EPO; JPO; DERWENT;	!
			IBM_TDB	
-	26	lsp\$1 near10 source\$1 near3 rout\$4	USPAT;	2004/05/07 13:24
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	((source\$1 near3 rout\$4) and mpls\$1).ab.	USPAT;	2004/05/07 13:26
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	25	((source\$1 near3 rout\$4)).ab. and mpls\$1	IBM_TDB USPAT;	2004/05/07 13:42
-	25	((Source\$1 near3 rout\$4)).ab. and inpi\$\$1	US-PGPUB;	2004/05/07 15:42
			EPO; JPO;	
	1		DERWENT; IBM_TDB	
_	33	("5243342" "5274643" "5353283" "5394402"	USPAT	2004/05/07 13:30
		"5426637" "5430715" "5452294" "5473599"	1	,,
		"5491692" "5500860" "5519704" "5555256" "5561669" "5594732" "5617417" "5617421"		
		3561669 3594732 3617417 3617421 "5621721" "5623492" "5650993" "5651002"		
		"5659542" "5673265" "5740171" "5740176"		
		"5742604" "5764636" "5793763" "5835494" "5838994" "5867666" "5931961" "6061454"		
		3636994 3667666 3931961 6061434 "6203271").PN.		
-	2	("6339595").PN.	USPAT;	2004/05/07 13:33
		0.0	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	("5243342" "5309430" "5353283" "5394402" "5426637" "5452294" "5491692" "5500860"	USPAT	2004/05/07 13:34
		"5519704" "5555256" "5561669" "5623492"		
		"5650993" "5651002" "5917820" "5949786"		
	20	"5996021" "6055575" "6081524").PN. 6339595.URPN.	USPAT	2004/05/07 13:36
-	36	((source\$1 adj2rout\$4)) and mpls\$1 and cops\$1	USPAT;	2004/05/07 13:30
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	4	((source\$1 adj2 rout\$4)) and mpls\$1 and cops\$1	USPAT;	2004/05/07 13:42
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		(UEDDA 204 W. L. IIC 2 C 2 2 4 0 II. L. UC 4 0 0 0 0 4 II. L. UC 4 C C 0 0 E IV. 2 2 4	IBM_TDB	2004/05/07 44:07
-	4 44	("5991301" "6363319" "6408001" "6466985").PN. mpls\$1 and cops\$1	USPAT USPAT;	2004/05/07 14:07 2004/05/07 14:13
	'1	Thista alla dopopa	US-PGPUB;	250 1/05/07 11:15
			EPO; JPO;	
			DERWENT; IBM_TDB	
L	l	<u> </u>	1 1011 100	<u> </u>

-	2309	(cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3 protocol\$1))	USPAT; US-PGPUB; EPO; JPO;	2004/05/09 16:54
			DERWENT;	
	10	700/224 227 cels and //mmlet1 or /multit1 mage2	IBM_TDB	2004/05/07 12:25
•	10	709/224-227.ccls. and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4))) and ((cops\$1 or	USPAT; US-PGPUB;	2004/05/07 12:35
		(common\$1 near3 open\$1 near3 polic\$4 near3	EPO; JPO;	
		protocol\$1)))	DERWENT;	
	_		IBM_TDB	
•	6	709/224-227.ccls. and ((lsp\$1 or (label\$1 near3 switch\$4	USPAT;	2004/05/07 12:35
		near3 (path\$1 or route\$4)))) and ((cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3 protocol\$1)))	US-PGPUB; EPO; JPO;	
·		rical 3 openus rical 3 policus rical 3 protocolus ///	DERWENT;	
		·	IBM_TDB	
-	2500	(concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4	USPAT;	2004/05/07 12:36
		or label\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
	27	((cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3	USPAT;	2004/05/07 12:36
		protocol\$1))) and ((concatenat\$4 or multiplx\$4 or	US-PGPUB;	, ,
		aggregat\$4) near10 (route\$4 or label\$4))	EPO; JPO;	
			DERWENT;	
_	6	((cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3	IBM_TDB USPAT;	2004/05/07 12:37
		protocol\$1))) and ((concatenat\$4 or multiplx\$4 or	US-PGPUB;	2004/05/07 12.57
		aggregat\$4) near10 (route\$4 or label\$4)) and ((lsp\$1 or	EPO; JPO;	
		(label\$1 near3 switch\$4 near3 (path\$1 or route\$4))))	DERWENT;	
	77	//constit or /commonti norvi openti norvi polista norvi	IBM_TDB	2004/05/07 12:40
•	27	((cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3 protocol\$1))) and ((concatenat\$4 or multiplx\$4 or	USPAT; US-PGPUB;	2004/05/07 12:40
		aggregat\$4) near10 (route\$4 or label\$4))	EPO; JPO;	
			DERWENT;	
	70	700/224 227 and	IBM_TDB USPAT;	2004/05/11 10:47
-	78	709/224-227.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))	US-PGPUB;	2004/05/11 10:47
		aggregaty if hear to (routes i or labels i))	EPO; JPO;	
			DERWENT;	
		700/224 227	IBM_TDB	2004/05/07 12 11
-	6	709/224-227.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4)) and ((cops\$1 or	USPAT; US-PGPUB;	2004/05/07 12:41
		(common\$1 near3 open\$1 near3 polic\$4 near3	EPO; JPO;	
		protocol\$1)))	DERWENT;	
			IBM_TDB	
-	4	709/224-227.ccls. and ((concatenat\$4 or multiplx\$4 or	USPAT;	2004/05/07 12:43
		aggregat\$4) near10 (route\$4 or label\$4)) and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4))))	US-PGPUB; EPO; JPO;	•
		(massign fiscal o switchigh fiscal o (paulign of fourcign)))	DERWENT;	
			IBM_TDB	
-	1800	dynamic\$4 near10 partition\$4	USPAT;	2004/05/07 14:27
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	15	((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3	USPAT;	2004/05/07 13:00
		switch\$4))) and (dynamic\$4 near10 partition\$4)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
	1	<u></u>		·

-	3	(mpls\$1 and lsp\$1 and rsvp\$1) and ((concaten\$4) near10 (route\$1 or path\$2))	USPAT; US-PGPUB;	2004/05/07 12:03
			EPO; JPO; DERWENT; IBM_TDB	
<u>.</u>	0	lsp\$1 and ((concaten\$4) near10 (route\$1 or path\$2)) and cops\$1	USPAT; US-PGPUB;	2004/05/07 12:04
			EPO; JPO; DERWENT; IBM_TDB	
-	9	lsp\$1 and ((concaten\$4) near10 (route\$1 or path\$2))	USPAT; US-PGPUB; EPO; JPO;	2004/05/07 12:05
			DERWENT; IBM_TDB	
-	1	cr-lsp\$1 and ((concaten\$4) near10 (route\$1 or path\$2))	USPAT; US-PGPUB; EPO; JPO;	2004/05/07 12:06
	F4		DERWENT; IBM_TDB	2004/05/07 12:07
-		(mpls\$1 and lsp\$1 and rsvp\$1) and (multiplex\$4 or conceaten\$4)	USPAT; US-PGPUB; EPO; JPO;	2004/05/07 12:07
_	4	("5991301" "6363319" "6408001" "6466985").PN.	DERWENT; IBM_TDB USPAT	2004/05/07 12:18
_	Ö	6680943.URPN.	USPAT	2004/05/07 12:22
-	Ö	6680943.URPN.	USPAT	2004/05/07 12:22
_	Ö	6680943.URPN.	USPAT	2004/05/07 12:22
-	Ö	6680943.URPN.	USPAT	2004/05/07 12:22
-	10	("5504935" "5537532" "5832197" "5987028" "6144661" "6246669" "6377579" "6385198" "6385454" "6442158").PN.	USPAT	2004/05/07 12:23
-	6838	709/224-227.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/05/07 12:28
	21	700/224 227 calc. and malet 1 and leat 1	DERWENT; IBM_TDB	2004/05/07 12:27
-	21	709/224-227.ccls. and mpls\$1 and lsp\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/07 12:27
-	4	709/224-227.ccls. and cops\$1 and lsp\$1	IBM_TDB USPAT; US-PGPUB;	2004/05/07 12:27
			EPO; JPO; DERWENT; IBM_TDB	
-	21	(mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)) and (lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4))) and (cops\$1 or (common\$1 near3	USPAT; US-PGPUB; EPO; JPO;	2004/05/07 12:33
	c	open\$1 near3 polic\$4 near3 protocol\$1))	DERWENT; IBM_TDB	2004/05/07 12:21
	6	((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)) and (lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4))) and (cops\$1 or (common\$1 near3 open\$1 near3 polic\$4 near3 protocol\$1))) not (mpls\$1 and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/07 12:31
_	1829	lsp\$1 and cops\$1) (mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/07 13:17
			IBM_TDB	
	= 11 1 10 1	1.10:52:55 AM Dage 5	·	

Search History 5/11/04 10:52:55 AM Page 5

-	15	mpls\$1 and lsp\$1 and cops\$1	USPAT; US-PGPUB;	2004/05/09 16:50
			EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
-	149	mpls\$1 and lsp\$1 and rsvp\$1	USPAT;	2004/05/07 11:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(mpls\$1 and lsp\$1 and rsvp\$1) and (multiplex\$4 near3	USPAT;	2004/05/07 10:21
		lsp\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	7	lsp\$1 and cops\$1 and ((multiplex\$4 or conceaten\$4) near10	IBM_TDB USPAT;	2004/05/07 12:24
-	/	(route\$1 or path\$2))	US-PGPUB;	2004/03/07 12.24
		(routest of pauls2))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l <u>.</u>	102	lsp\$1 and ((multiplex\$4 or conceaten\$4) near10 (route\$1 or	USPAT;	2004/05/07 11:47
	102	path\$2))	US-PGPUB;	2001/05/07 11:17
		, pad 42//	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	47	Isp\$1 and ((multiplex\$4 or conceaten\$4) near3 (route\$1 or	USPAT;	2004/05/07 11:56
		path\$2))	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	cr-lsp\$1 and ((multiplex\$4 or conceaten\$4) near3 (route\$1	USPAT;	2004/05/07 11:57
		or path\$2))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/05/07 44:50
-	2	cr-lsp\$1 and ((multiplex\$4 or conceaten\$4) near10 (route\$1	USPAT;	2004/05/07 11:59
		or path\$2))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	536661	cr- lsp\$1 and cops\$1	USPAT;	2004/05/07 11:58
	330001	C. Obat and coboat	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	cr-lsp\$1 and cops\$1	USPAT;	2004/05/07 11:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(mpls\$1 and lsp\$1 and rsvp\$1) and ((multiplex\$4 or	USPAT;	2004/05/07 12:01
		conceaten\$4) near10 (route\$1 or path\$2))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	33	(malett and lentt and womett) and (/ibinlatd a	IBM_TDB	2004/05/07 12:02
-	22	(mpls\$1 and lsp\$1 and rsvp\$1) and ((multiplex\$4 or	USPAT;	2004/05/07 12:02
		concaten\$4) near10 (route\$1 or path\$2))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	<u> </u>	םטו_וייטגן	L

25	24	370/395.2-395.32.ccls. and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 10:51
26	60	370/400,408,409,410.ccls. and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4)))))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 10:51
27	29	370/400,408,409,410.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4)))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 10:51
28	28	370/465-469.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4)))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 10:51
29	14	(709/228-242.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))) and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4)))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:52
30	0	switch\$4))) (709/245.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))) and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4)))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:52
31	0	switch\$4))) (709/245.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))) and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:52
32		(709/245.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:52
33	1	(709/245.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 10:52
34	15	(709/228-242.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))) and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/11 10:52
35	22	(709/228-242.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4))))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:52
36	31	(709/228-242.ccls. and ((concatenat\$4 or multiplx\$4 or aggregat\$4) near10 (route\$4 or label\$4))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:52

13	50	370/229-238.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4	USPAT; US-PGPUB;	2004/05/11 10:49
		near3 (path\$1 or route\$4))))	EPO; JPO; DERWENT; IBM_TDB	
14	36	370/351-354.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4	USPAT; US-PGPUB;	2004/05/11 10:49
		near3 (path\$1 or route\$4))))	EPO; JPO; DERWENT; IBM_TDB	
15	107	370/356,389,390-393.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3	USPAT; US-PGPUB;	2004/05/11 10:50
		switch\$4 near3 (path\$1 or route\$4))))	EPO; JPO; DERWENT; IBM_TDB	
16	1837	(mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4))	USPAT; US-PGPUB;	2004/05/11 10:50
			EPO; JPO; DERWENT; IBM_TDB	
17	87	370/356,389,390-393.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3	USPAT; US-PGPUB;	2004/05/11 10:51
		switch\$4 near3 (path\$1 or route\$4)))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)))	EPO; JPO; DERWENT; IBM_TDB	
18	5	370/396.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3	USPAT; US-PGPUB;	2004/05/11 10:50
		(path\$1 or route\$4)))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)))	EPO; JPO; DERWENT; IBM_TDB	
19	6	370/396.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3	USPAT; US-PGPUB;	2004/05/11 10:50
		(path\$1 or route\$4))))	EPO; JPO; DERWENT; IBM_TDB	
20	9	370/397-399.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4	USPAT; US-PGPUB;	2004/05/11 10:50
		near3 (path\$1 or route\$4))))	EPO; JPO; DERWENT; IBM_TDB	
21	9	370/397-399.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4)))	USPAT; US-PGPUB;	2004/05/11 10:50
			EPO; JPO; DERWENT; IBM_TDB	
22	16	370/395.2-395.32.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4)))	USPAT; US-PGPUB; EPO; JPO;	2004/05/11 10:50
			DERWENT; IBM_TDB	
23	. 12	370/395.2-395.32.ccls. and ((lsr\$1 or (label\$1 near3 switch\$4 near3 route\$4))) and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4)))) and ((mpls\$1 or	USPAT; US-PGPUB; EPO; JPO;	2004/05/11 10:51
		(multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)))	DERWENT; IBM_TDB	
24	20	370/395.2-395.32.ccls. and ((lsp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or route\$4)))) and ((mpls\$1 or (multi\$1 near3 protocol\$1 near3 label\$1 near3 switch\$4)))	USPAT; US-PGPUB; EPO; JPO;	2004/05/11 10:51
		, , , , , , , , , , , , , , , , , , , ,	DERWENT; IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	3610	370/229-238.ccls.	USPAT;	2004/05/11 10:45
•	3010	370/225 230.003.	US-PGPUB;	200 1/05/11 10:15
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
,	3320	370/351-354.ccls.	USPAT;	2004/05/11 10:45
2	3320	370/331°337.ccis.	US-PGPUB;	2004/03/11 10.43
			EPO; JPO;	
			DERWENT;	
	5040	270/256 200 200 202	IBM_TDB	2004/05/14 40:45
3	5849	370/356,389,390-393.ccls.	USPAT;	2004/05/11 10:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	253	370/396.ccls.	USPAT;	2004/05/11 10:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	914	370/397-399.ccls.	USPAT;	2004/05/11 10:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	835	370/395.2-395.32.ccls.	USPAT;	2004/05/11 10:47
			US-PGPUB;	'-'
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	1903	370/400,408,409,410.ccls.	USPAT;	2004/05/11 10:47
1		37 07 1007 1007 120100.01	US-PGPUB;	200 1,00,111 10111
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	4637	370/465-469.ccls.	USPAT;	2004/05/11 10:47
	4037	370/103 103.ccis.	US-PGPUB;	200 1/05/11 10:17
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	148	709/228-242.ccls. and ((concatenat\$4 or multiplx\$4 or	USPAT;	2004/05/11 10:48
9	140	aggregat\$4) near10 (route\$4 or label\$4))	US-PGPUB;	2007/03/11 10.70
		aggregacym) ricarto (routeym of labelym))	EPO; JPO;	
			DERWENT;	
1,0	47	700/245 cele and //concatonate4 or multipliet4 or	IBM_TDB	2004/05/11 10:40
10	17	709/245.ccls. and ((concatenat\$4 or multiplx\$4 or	USPAT;	2004/05/11 10:48
		aggregat\$4) near10 (route\$4 or label\$4))	US-PGPUB;	
]			EPO; JPO;	
]			DERWENT;	
	0000	//	IBM_TDB	2004/05/14 12 12
11	2389	(Isr\$1 or (label\$1 near3 switch\$4 near3 route\$4))	USPAT;	2004/05/11 10:49
1 1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	-
			IBM_TDB	
12	3147	(Isp\$1 or (label\$1 near3 switch\$4 near3 (path\$1 or	USPAT;	2004/05/11 10:49
		route\$4)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	